

REGULATOR INLET NUTS & NIPPLES

PRODUCT SPECIFICATION GUIDE AND ORDERING INFORMATION FOR REGULATOR INLET NUTS AND NIPPLES

Western offers nuts and nipples in a variety of materials and styles to fit a full range of gas service requirements. Five different types of nut/nipple combinations are available:

- Brass nut and nipple
- Stainless steel nut and nipple
- Nut and nipple with check valve
- Nut and nipple recessed for tubing
- Hand tight nut and nipple

Please note that all types may not be available for certain gas services.

NIPPLES WITH CHECK VALVES

Nipples with integral check valves are designed to provide additional safety in Manifold Systems and other equipment.

- Check Valve Nipples can be built into Pigtails, Tee Connections and Manifold Blocks to resist back flow of gases from lines, equipment and cylinders.
- Check valves are factory installed and are 100% tested.

Check valves are for reverse flows only - they are not to be used as Flashback Arrestors.


(See page 36 for more information on Western's line of flashback arrestors.)

HAND TIGHT NUTS & NIPPLES


Western Hand-Tight Nuts provide for easy installation and are available in brass or with plastic grips.

- Lightweight plastic grips have labels which are color-coded for gas service.
- All brass nuts are machined to CGA specifications and designed with wrench flats.
- Soft tip or o-ring type nipples always should be used with hand-tight nuts.
- CGA fittings rated over 3000 PSIG do not have soft tips and final gas-tight seating requires wrench action.

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 110 FOR GASES IN SMALL CYLINDERS:			
110-3SF	Nipple	Brass, 1/8" NPT, 1-3/4" Long, .3125-32 UNEF-2A-RH-EXT	CGA-110
CGA - 170 FOR NON-CORROSIVE GASES IN SMALL CYLINDERS:			
170-2	Nut	Brass, .5625"-18 UNF-2B-RH Female	CGA-170
170-3SF	Nipple	Brass, 1/8" NPT, 1-1/2" Long	CGA-170
170-4	Washer	Nylon	CGA-170
170-5	Adaptor	Brass, 1/8" NPT, 1-1/32" Long	CGA-170
CGA - 180 FOR NON-CORROSIVE GASES IN SMALL CYLINDERS:			
180-2	Nut	Brass, .625"-18 UNF-2B, RH Female	CGA-180
180-3	Nipple	Brass, 1/8" NPT, 1-3/4" Long	CGA-180
180-4	Washer	PTFE	CGA-180
180-5	Adaptor	Brass, CGA-180 to 1/4" NPT Male	CGA-180




REGULATOR NUTS & NIPPLES, BRASS
Pressures to 3000 PSIG (20,700 kPa)



170-4

PART NO.	PART	DESCRIPTION	SERVICE
REGULATOR NUTS & NIPPLES, BRASS & STAINLESS STEEL Pressures to 500 PSIG (3400 kPa)			
CGA - 200 FOR "MC" TANK ACETYLENE:			
305-2	Nut	Brass, "MC" T, .628"-20 NGO, RH Female	CGA-200
305-3	Nipple	Brass, 7/16"-20, 1 1/4" Long	CGA-200
305-3A	Nipple	Brass, 1/8" NPT, 1 1/4" Long	CGA-200




REGULATOR NUTS & NIPPLES, BRASS & STAINLESS STEEL
Pressures to 500 PSIG (3400 kPa)

**REGULATOR INLET
NUTS & NIPPLES**


PART NO.		PART	DESCRIPTION	SERVICE
NIPPLE ASSEMBLY		CGA - 240 FOR AMMONIA:		
Pressures to 500 PSIG (3445 kPa)				
SS-24-3	Nipple	St. Steel, Nipple, 1/4" NPT		CGA-240

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 280 FOR MEDICAL BREATHING MIXTURES:			
284	Nut	Brass, .750"-14 NGO, RH Female	CGA-280
283	Nipple	Brass, 1/4" NPT, 2" Long	CGA-280
CGA - 296 FOR INDUSTRIAL MIXTURES OF OXYGEN:			
29-2	Nut	Brass, .803"-14 UNS-2A, RH Male	CGA-296
29-3	Nipple	Brass, 1/4" NPT, 3" Long	CGA-296
6296	Nut	Brass, Hand-Tight, RH Male	CGA-296
6296-3	Nipple	Hand-Tight, 1/4" NPT, 3" Long	CGA-296
6296-0	O-Ring	Replacement	CGA-296

REGULATOR NUTS & NIPPLES, BRASS
Pressures to 3000 PSIG (20,700 kPa)



PART NO.		PART	DESCRIPTION	SERVICE
REGULATOR NUTS & NIPPLES, BRASS		CGA - 300 FOR COMMERCIAL ACETYLENE:		
Pressures to 500 PSIG (3445 kPa)				
16-2	Nut	Brass, .830"-14 NGO, RH Female	CGA-300	
16-3	Nipple	Brass, 1/4" NPT, 1 15/16" Long	CGA-300	
16-8	Nipple	Brass, 1/4" NPT, 2 1/2" Long	CGA-300	
16-8CV	Nipple	Brass, 1/4" NPT, 2 1/2" Long w/CV	CGA-300	
616-2	Nut	Brass, Hand-Tight RH Female	CGA-300	
616-2P	Nut	Hand-Tight, Plastic Grip, RH Female	CGA-300	
616-3	Nipple	Hand-Tight, 1/4" NPT, 2 1/2" Long	CGA-300	
616-PT	Tip	Soft Tip, Replacement	CGA-300	



**REGULATOR INLET
NUTS & NIPPLES**

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 320 FOR CARBON DIOXIDE:			
CO-2	Nut	Brass, .830"-14 NGO RH Female	CGA-320
CO-3	Nipple	Brass, 1/4" NPT, 2" Long w/washer	CGA-320
CO-4	Nipple	Brass, 1/4" NPT, 2 1/2" Long w/washer	CGA-320
CO-4CV	Nipple	Brass, 1/4" NPT, 2 1/2" Long w/Check	CGA-320
CO-7	Nipple	Brass, 1/2"-27, 2 1/2" Long	CGA-320
CO-8	Nipple	Brass, 1/4" NPT, LH, 2" Long	CGA-320
CO-3M2	Nipple	Recessed for 5/16" OD Tube	CGA-320
6-CO-2	Nut	Brass, Hand-Tight, RH Female	CGA-320
6-CO-2P	Nut	Plastic Grip, Hand-Tight, RH Female	CGA-320
6-CO-4	Nipple	Hand-Tight, 1/4" NPT, 2 1/2" Long	CGA-320
6-CO-4M1	Nipple	Hand-Tight, Recessed for 1/4" Tube	CGA-320
SS-CO-2	Nut	St. Steel, .830"-14 NGO, RH Female	CGA-320
SS-CO-3	Nipple	St. Steel, 1/4" NPT, 2" Long	CGA-320
CO-1TW	Washer	PTFE, Snap-In	CGA-320
CO-5	Washer	Fiber, Flat	CGA-320
CO-6	Washer	PTFE, Flat	CGA-320
CO-6N	Washer	Nylon, Snap-In	CGA-320
CGA - 326 FOR NITROUS OXIDE:			
13-2	Nut	Brass, .830"-14 NGO, RH Female	CGA-326
13-3	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-326
13-3CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/Check V	CGA-326
613-2	Nut	Brass, Hand-Tight, RH Female	CGA-326
613-2P	Nut	Plastic Grip, Hand-Tight, RH Female	CGA-326
613-5	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long	CGA-326
613-KPT	Tip	Soft Tip, Replacement	CGA-326
SS-13-2	Nut	St. Steel, .830"-14 NGO, RH Female	CGA-326
SS-13-3	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long	CGA-326
CGA - 330 FOR NON-CORROSIVE GASES (BRASS) OR CORROSIVE GASES (STAINLESS STEEL):			
334	Nut	Brass, .830"-14 NGO, LH Female	CGA-330
333	Nipple	Brass, 1/4" NPT, 2" Long	CGA-330
333-A	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-330
SS-334	Nut	St. Steel, .830"-14 NGO, LH Female	CGA-330
SS-333	Nipple	St. Steel, 1/4" NPT, 2" Long	CGA-330
335	Washer	PTFE	CGA-330
CO-6N	Washer	Nylon, Snap-In	CGA-330
CGA - 346 FOR AIR:			
14-2	Nut	Brass, .830"-14 NGO, RH Female	CGA-346
14-3	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-346
14-3CV	Nipple	Brass, 1/4" NPT, 2 -/2" Long w/Check	CGA-346
614-2	Nut	Brass, Hand-Tight, RH Female	CGA-346
614-2P	Nut	Plastic Grip, Hand-Tight, RH Female	CGA-346
614-5	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long	CGA-346
614-KPT	Tip	Soft Tip Replacement	CGA-346
SS-14-2	Nut	St. Steel, .830"-14 NGO, RH Female	CGA-346
SS-14-3	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long	CGA-346

**REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL**
Pressures to 3000 PSIG (20,700 kPa)



**REGULATOR INLET
NUTS & NIPPLES**



REGULATOR NUTS & NIPPLES, BRASS & STAINLESS STEEL		PART NO.	PART	DESCRIPTION	SERVICE
<p>Pressures 3001 PSIG TO 5500 PSIG (37,950 kPa)</p>		CGA - 347 FOR AIR/HIGH PRESSURE:			
		347-2	Nut	Brass, .830"-14 NGO, RH Female	CGA-347
		347-3	Nipple	Brass, 1/4" NPT, 3" long	CGA-347
		6347-2	Nut	Hand-Tight, RH Female	CGA-347
		6347-3	Nipple	Hand-Tight, 1/4" NPT, 3" Long	CGA-347
		6347-3-3	O-Ring	Replacement	CGA-347
		SS-347-2	Nut	St. Steel, .830"-14 NGO, RH Female	CGA-347
		SS-347-3	Nipple	St. Steel, 1/4" NPT, 3" Long	CGA-347
		SS-6347-2	Nut	Hand-Tight, St. Steel, RH Female	CGA-347
		SS-6347-3	Nipple	Hand-Tight, St. Steel, 1/4" NPT, 3" Long	CGA-347

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 350 FOR HYDROGEN/NATURAL GAS:			
82	Nut	Brass, .830"-14 NGO, LH Female	CGA-350
83	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-350
83-CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/Check V	CGA-350
83-M1	Nipple	Recessed for 1/4" OD Tube	CGA-350
83-M2	Nipple	Recessed for 5/16" OD Tube	CGA-350
87	Nipple	Brass, 1/4" NPT, 3" Long	CGA-350
682	Nut	Brass, Hand-Tight, LH Female	CGA-350
682P	Nut	Plastic Grip, Hand-Tight, LH Female	CGA-350
683	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long	CGA-350
683-PT	Tip	Soft Tip Replacement	CGA-350
SS-82	Nut	St. Steel, .830"-14 NGO, LH Female	CGA-350
SS-83	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long	CGA-350
SS-83M1	Nipple	Recessed for 1/4" OD Tube	CGA-350
CGA - 410 FOR CANADIAN ACETYLENE:			
410-2	Nut	Brass, .855"-14 NGO, LH Female	CGA-410
410-3	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-410
CGA - 500 FOR MEDICAL MIXTURES:			
500-2	Nut	Brass, .880"-14 NGO, RH Male	CGA-500
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-500
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV	CGA-500
15-3	Nipple	Brass, 1/4" NPT, 3" Long	CGA-500
15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long	CGA-500
15-11	Nipple	Brass, 1/4" NPT, 4-1/2" Long	CGA-500
15-9	Nipple	Brass, 1/2"-27, 3" Long	CGA-500
15-8M1	Nipple	Recessed for 1/4" OD Tube	CGA-500
15-8M2	Nipple	Recessed for 5/16" OD Tube	CGA-500
15-8M3	Nipple	Recessed for 3/8" OD Tube	CGA-500

**REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL**
Pressures to 3000 PSIG (20,700 kPa)



**REGULATOR INLET
NUTS & NIPPLES**

PART NO.	PART	DESCRIPTION	SERVICE
CGA - 510 FOR POL ACETYLENE:			
15-2	Nut	Brass, .880"-14 NGO, LH Male	CGA-510
15-3	Nipple	Brass, 1/4" NPT, 3" Long	CGA-510
15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long	CGA-510
15-5	Nipple	Brass, 1/2"-27, 4" Long	CGA-510
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-510
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/Check	CGA-510
15-9	Nipple	Brass, 1/2"-27, 3" Long	CGA-510
15-11	Nipple	Brass, 1/4" NPT, 4-1/4" Long	CGA-510
15-8M1	Nipple	Recessed for 1/4" OD Tube	CGA-510
15-8M2	Nipple	Recessed for 5/16" OD Tube	CGA-510
15-8M3	Nipple	Recessed for 3/8" OD Tube	CGA-510
615-2	Nut	Brass, Hand-Tight, LH Male	CGA-510
615-2P	Nut	Plastic Grip, Hand-Tight, LH Male	CGA-510
615-3	Nipple	Hand-Tight, 1/4" NPT, 3-1/2" Long, w/O-Ring	CGA-510
615-3T	Nipple	Hand-Tight, 1/4" NPT, 3" Long, w/Soft Tip	CGA-510
615-8M1T	Nipple	Hand-Tight, Recessed for 1/4" Tube w/Soft Tip	CGA-510
615-0	O-Ring	Replacement O-Ring	CGA-510
615-PT	Tip	Soft Tip Replacement	CGA-510
SS-15-2	Nut	St. Steel, .880"-14 NGO, LH Male	CGA-510
SS-15-3	Nipple	St. Steel, 1/4" NPT, 3" Long	CGA-510
SS-15-3CV	Nipple	St. Steel, 1/4" NPT, 3" Long w/CV	CGA-510
SS-15-8M1	Nipple	Recessed for 1/4" OD Tube	CGA-510
CGA - 520 FOR "B" TANK - ACETYLENE:			
300-2	Nut	Brass, .899"-18 NGO, RH Female	CGA-520
300-3	Nipple	Brass, 1/4" NPT, 1-3/4" Long	CGA-520

**REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL
Pressures to 500 PSIG (3400 kPa)**



**REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL
Pressures to 3000 PSIG (20,700 kPa)**



PART NO. PART DESCRIPTION SERVICE

CGA - 540 FOR OXYGEN:

62	Nut	Brass, .908"-14 NGO, RH Female	CGA-540
63-CV	Nipple	Brass, 1/4" NPT, 2" Long w/CV	CGA-540
63	Nipple	Brass, 1/4" NPT, 2-1/6" Long	CGA-540
66	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-540
69	Nipple	Brass, 1/4" NPT, 3" Long	CGA-540
67	Nipple	Brass, 1/2"-27, 2-1/2" Long	CGA-540
63-M1	Nipple	Recessed for 1/4" OD Tube	CGA-540
63-M2	Nipple	Recessed for 5/16" OD Tube	CGA-540
662	Nut	Brass, Hand-Tight, RH Female	CGA-540
662P	Nut	Plastic Grip, Hand-Tight, RH Female	CGA-540
663	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long	CGA-540
663-KPT	Tip	Soft Tip Replacement	CGA-540
SS-62	Nut	St. Steel, .908"-14 NGO, RH Female	CGA-540
SS-63	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long	CGA-540

CGA - 555 FOR BUTANE, PROPANE (LIQUID WITHDRAWAL):

72	Nut	Brass, .908"-14 NGO, LH Female	CGA-555
63-CV	Nipple	Brass, 1/4" NPT, 2" Long w/Check V	CGA-555
73	Nipple	Brass, 1/4" NPT, 2-1/16" Long	CGA-555
76	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-555
672	Nut	Brass, Hand-Tight, LH Female	CGA-555
672-P	Nut	Plastic Grip, Hand-Tight, LH Female	CGA-555
673	Nipple	Hand-Tight, 1/4" NPT, 2-1/2" Long	CGA-555
673-KPT	Tip	Soft Tip Replacement	CGA-555

CGA - 577 FOR OXYGEN: 4,000 PRESSURE TO 4,000 PSIG

577-2	Nut	Brass, .965"-14 NGO, RH Female	CGA-577
577-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long	CGA-577

**REGULATOR INLET
NUTS & NIPPLES**

**REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL**

Pressures to 3000 PSIG (20,700 kPa)



PART NO.	PART	DESCRIPTION	SERVICE
CGA - 580 FOR ARGON, HELIUM & NITROGEN:			
92	Nut	Brass, .960"-14 NGO, RH Male	CGA-580
15-3	Nipple	Brass, 1/4" NPT, 3" Long	CGA-580
15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long	CGA-580
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-580
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV	CGA-580
15-11	Nipple	Brass, 1/4" NPT, 4-1/2" Long	CGA-580
15-9	Nipple	Brass, 1/2"-27, 3" Long	CGA-580
15-5	Nipple	Brass, 1/2"-27, 4" Long	CGA-580
15-8M1	Nipple	Recessed For 1/4" OD Tube	CGA-580
15-8M2	Nipple	Recessed For 5/16" OD Tube	CGA-580
692	Nut	Brass, Hand-Tight, RH Male	CGA-580
692P	Nut	Plastic Grip, Hand-Tight, RH Male	CGA-580
615-0	O-Ring	Replacement O-Ring	CGA-580
615-PT	Tip	Soft Tip Replacement	CGA-580
615-3	Nipple	Hand-Tight, 1/4" NPT, 3-1/2" Long, w/O-Ring	CGA-590
615-3T	Nipple	Hand-Tight, 1/4" NPT, 3" Long, w/Soft Tip	CGA-590
615-8M1T	Nipple	Hand-Tight, 1/4" OD Tube, 2-1/8" Long	CGA-580
SS-92	Nut	St. Steel, .960"-14 NGO, RH Male	CGA-580
SS-15-3	Nipple	St. Steel, 1/4" NPT, 3" Long	CGA-580
SS-15-3CV	Nipple	St. Steel, 1/4" NPT, 3" Long w/CV	CGA-580
SS-15-8M1	Nipple	Recessed For 1/4" OD Tube	CGA-580

PART NO. PART DESCRIPTION SERVICE

CGA - 590 FOR INDUSTRIAL AIR:

93	Nut	Brass, .960"-14 NGO, LH Male	CGA-590
15-3	Nipple	Brass, 1/4" NPT, 3" Long	CGA-590
15-4	Nipple	Brass, 1/4" NPT, 3-1/2" Long	CGA-590
15-8	Nipple	Brass, 1/4" NPT, 2-1/2" Long	CGA-590
15-8CV	Nipple	Brass, 1/4" NPT, 2-1/2" Long w/CV	CGA-590
15-9	Nipple	Brass, 1/2"-27, 3" Long	CGA-590
15-5	Nipple	Brass, 1/2"-27, 4" Long	CGA-590
15-11	Nipple	Brass, 1/4" NPT, 4-1/2" Long	CGA-590
15-8M1	Nipple	Recessed For 1/4" OD Tube	CGA-590
15-8M2	Nipple	Recessed For 5/16" OD Tube	CGA-590
15-8M3	Nipple	Recessed For 3/8" OD Tube	CGA-590
693	Nut	Brass, Hand-Tight, LH Male	CGA-590
693P	Nut	Plastic Grip, Hand-Tight, LH Male	CGA-590
615-3	Nipple	Hand-Tight, 1/4" NPT, 3-1/2" Long, w/O-Ring	CGA-590
615-3T	Nipple	Hand-Tight, 1/4" NPT, 3" Long, w/Soft Tip	CGA-590
615-0	O-Ring	Replacement O-Ring	CGA-590
615-PT	Tip	Soft Tip Replacement	CGA-590
SS-93	Nut	St. Steel, .960"-14 NGO, LH Male	CGA-590
SS-15-3	Nipple	St. Steel, 1/4" NPT, 3" Long	CGA-590
SS-15-3CV	Nipple	St. Steel, 1/4" NPT, 3" Long w/CV	CGA-590
SS-15-8M1	Nipple	Recessed For 1/4" OD Tube	CGA-590

CGA - 660 FOR REFRIGERANT GASES:

604	Nut	Brass, 1.035"-14 NGO, RH Female	CGA-660
603	Nipple	Brass, 1/4" NPT, 1-3/4" Long	CGA-660
603-A	Nipple	Brass, 1/4" NPT, 2-1/4" Long	CGA-660
SS-603A	Nipple	St. Steel, 1/4" NPT, 2-1/4" Long	CGA-660
SS-604	Nut	St. Steel, 1.035-14 NGO, RH Female	CGA-660
665	Washer	PTFE	CGA-660

**REGULATOR NUTS & NIPPLES,
BRASS & STAINLESS STEEL**


Pressures to 3000 PSIG (20,700 kPa)



**REGULATOR INLET
NUTS & NIPPLES**

PART NO.		PART	DESCRIPTION	SERVICE
CGA - 670 FOR MIXTURES:				
SS-704	Nut	St. Steel, 1.035"-14 NGO, LH Female	CGA-670	REGULATOR NUTS & NIPPLES, STAINLESS STEEL Pressures to 500 PSIG (3400 kPa)
SS-703A	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long	CGA-670	
665	Washer	PTFE	CGA-670	

PART NO.		PART	DESCRIPTION	SERVICE	
REGULATOR NUTS & NIPPLES, STAINLESS STEEL Pressures to 7500 PSIG (41,300 kPa)		CGA - 677 FOR INERT GASES:			
		SS-60-2	Nut	St. Steel, 1.035"-14 NGO, LH Female	CGA-677
		SS-60-3	Nipple	St. Steel, 1/4" NPT, 2-1/2" Long	CGA-677
		SS-60-4	Nipple	St. Steel, 3/8" NPT, 3" Long	CGA-677
		SS-60M1	Nipple	Recessed For 1/4" OD Tube	CGA-677

PART NO.		PART	DESCRIPTION	SERVICE
CGA - 680 FOR INERT GASES:				REGULATOR NUTS & NIPPLES, BRASS Pressures from 3000 PSIG (20,700 kPa) to 5500 PSIG (37,950 kPa)
680-2	Nut	Brass, 1.040"-14 NGO RH Male	CGA-680	
680-3SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long	CGA-680	
680-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3-1/2" Long	CGA-680	
6680	Nut	Hand-Tight (Use With 680-4SF Nipple)	CGA-680	
CGA - 695 FOR FLAMMABLE GASES:				 680-2 680-3SF
695-2	Nut	Brass, 1.040"-14 NGO LH Male	CGA-695	
680-3SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long	CGA-695	
680-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3-1/2" Long	CGA-695	
6695	Nut	Hand-Tight (Use With 680-4SF Nipple)	CGA-695	

PART NO.		PART	DESCRIPTION	SERVICE	
REGULATOR NUTS & NIPPLES, BRASS Pressures 4000 PSIG (27,600 kPa) to 5500 PSIG (37,950 kPa)		CGA - 701 FOR OXYGEN:			
		701-2	Nut	Brass, 1.108"-14 NGO, RH Female	CGA-701
		701-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long	CGA-701

PART NO.		PART	DESCRIPTION	SERVICE
CGA - 702 FOR AIR:				REGULATOR NUTS & NIPPLES, BRASS Pressures from 5500 PSIG (37,950 kPa) to 7500 PSIG (51,750 kPa)
702-2	Nut	Brass, 1.120"-14 NGO, RH Male	CGA-702	
680-3SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long	CGA-702	
680-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3-1/2" Long	CGA-702	

PART NO.		PART	DESCRIPTION	SERVICE	
REGULATOR NUTS & NIPPLES, BRASS Pressures from 5500 PSIG (37,950 kPa) to 7500 PSIG (51,750 kPa)		CGA - 703 FOR METHANE & HYDROGEN:			
		703-2	Nut	Brass, 1.120"-14 NGO, LH Male	CGA-703
		680-3SF	Nipple	Brass w/Filter, 1/4" NPT, 3" Long	CGA-703
		680-4SF	Nipple	Brass w/Filter, 1/4" NPT, 3-1/2" Long	CGA-703

PART NO.		PART	DESCRIPTION	SERVICE
CGA - 705 FOR AMMONIA:				REGULATOR NUTS & NIPPLES, STAINLESS STEEL Pressures to 3000 PSIG (20,700 kPa)
SS-705	Nut	St. Steel, 1.125"-14 UNS-2A, RH Female	CGA-705	
SS-705-3	Nipple	1/4" NPT, 2-1/2" Long	CGA-705	
705	Washer	PTFE	CGA-705	